

Fabric Banding and Information

Supplier	Range	Fire Retardancy	Abrasion
Band A			
Camira	Advantage	BS EN 1021 - 1 and 2	
Camira	Mainline Plus	BS 5852 Crib 5, BS EN 1021 - 1 and 2	100,000
Kvadrat	Plot	BS 5852 Crib 5, BS EN 1021 - 1 and 2	45,000
Camira	Mainline Flax	BS 5852 Crib 5, BS EN 1021 - 1 and 2	30,000
Kvadrat	Revive 1	BS EN 1021 - 1 and 2	60,000
Kvadrat	Revive 2	BS EN 1021 - 1 and 2	45,000
Band B			
Camira	Blazer	BS EN 1021 - 1 and 2	
Camira	Hemp	BS 5852 Crib 5, BS EN 1021 - 1 and 2	50,000
Camira	Silk	BS EN 1021 - 1 and 2	50,000
Kvadrat	Messenger	US CAL. Bull 117-2005	65,000
Kvadrat	Remix	BS 5852 Schedule 4&5 Part 1, BS EN 1021 - 1 and 2	100,000
Kvadrat	Clara 2	BS 5852 Part 1	80,000
Band C			
Bute	Clyde	BS 5852 Crib 5, BS EN 1021 - 1 and 2	50,000
Bute	Elgin	BS 5852 Crib 5, BS EN 1021 - 1 and 2	100,000
Bute	Turnberry	BS 5852 Crib 5, BS EN 1021 - 1 and 2	60,000
Kvadrat	Cava 3	BS 5852 Schedule 4&5 Part 1, BS EN 1021 - 1 and 2	45,000
Kvadrat	Hero	BS 5852 Part 1	45,000
Band D			
Bute	Tweed	BS 5852 Crib 5, BS EN 1021 - 1 and 2	50,000
Gabriel	Europost	BS 5852 Schedule 4 & 5 Part 1, BS EN 1021 - 1 and 2	50,000
Gabriel	Luna 2	BS 5852 Schedule 4 & 5 Part 1, BS EN 1021 - 1 and 2	70,000
Gabriel	Interglobe	BS 5852 Crib 5, BS EN 1021 - 1 and 2	50,000
Kvadrat	Divina 3	BS 5852 Crib 5, BS 5867 part 2 type B, BS EN 1021 - 1 and 2	80,000
Kvadrat	Steelcut Trio2	BS 5852 Schedule 4 & 5 Part 1, BS EN 1021 - 1 and 2	100,000
Kvadrat	Canvas	BS 5852 Schedule 4 & 5 Part 1, BS EN 1021 - 1 and 2	80,000
Kvadrat	Tonica	BS EN 1021 - 1 and 2	45,000
Kvadrat	Steelcut 2	BS 5852 Schedule 4 & 5 Part 1, BS EN 1021 - 1 and 2	100,000
Kvadrat	Rime	BS 5852 Part 1	100,000
Band E			
Bute	Melrose	BS 5852 Crib 5, BS EN 1021 - 1 and 2	65,000
Bute	Braemar	BS 5852 Crib 5, BS EN 1021 - 1 and 2	45,000
Kvadrat	Fiord	BS 5852 Part 1	60,000
Kvadrat	Divina Melange	BS 5852 Crib 5, BS 5867 part 2 type B, BS EN 1021 - 1 and 2	80,000
Kvadrat	Hallingdale 65	BS 5852 Schedule 4 & 5 Part 1, BS EN 1021 - 1 and 2	80,000
Band F			
Vescom	Bowen	BS 5852, Crib 5	90,000
Kvadrat	Tonus 4	BS 5852 Part 1	100,000
Kvadrat	Tonus Meadow	BS 5852 Schedule 4 & 5 Part 1	50,000
Vescom	Nauru	BS 5852, Crib 5	60,000
Bute	Tiree	BS 5852 Crib 5, BS EN 1021 - 1 and 2	50,000
Band G			
Gabriel	Comfort	BS 5852 Schedule 4 & 5 Part 1, BS EN 1021 - 1 and 2	150,000
Kvadrat	Sunniva 2	BS 5852 Part 1	50,000
Kvadrat	Coda 2	BS 5852 Schedule 4 & 5 Part 1, BS EN 1021 - 1 and 2	100,000
Band H			
Bute	Storr	BS 2543:2004, BS EN 14465:2003	50,000

Leather Banding and Information

Leather Banding

Our standard leathers are split into 3 bands. Due to the nature of leather, the yield achieved for different items of furniture differs. Whilst we have made every effort to ensure that the meterages given are accurate there are sometimes unavoidable delays due to unusable areas of hides. Please contact our sales team for more information on leather banding.* Not suitable for large upholstery items. Chairs only.

<u>Supplier</u>	<u>Range</u>	<u>Fire Retardancy</u>
Leather Band A		
Yarwood	Style*	BS 5852 Crib 5, BS EN 1021
Sorensen	Tango	BS EN 1021 - 1 and 2
Leather Band B		
Sorensen	Viking	BS EN 1021 - 1 and 2
Andrew Muirhead	Grampian	BS 5852 Crib 5
Leather Band C		
Elmo	Elmosoft	BS 5852 Crib 5, BS EN 1021
Sorensen	Dunes	Not Specified

Customers Own Material (COM)

Fabrics and materials that do not fall into the House or Standard Band fabrics above will be considered COM and will be administered following the procedures outlined below.

General terms and conditions with regards to COM or COL

Before confirmation of any order including a COM requirement, Modus will require sight of a suitable sample of material and completion of the COM Suitability Form (over leaf).

For plain colour fabrics the size of the sample must be at least 500 x 500mm. For pattern repeat fabrics please contact Modus to discuss the required size of sample. Materials supplied for production run will be assumed to measure 1.4m in width unless otherwise advised.

If tests on sample provided prove inconclusive, a greater amount of fabric may be requested in order to complete a complete sample for assessment. This complete sample will be dispatched to the client for pre-approval before confirmation of the total order. If approved, this sample will form part of the total delivery on completion of the order.

Conclusions from the sample approval process may result in a request to increase the length of material needed beyond the standard meterages published. It may also result in an increase in standard lead-times for completion of the order.

If material is accepted for production, Modus do not accept any responsibility for any issues arising with the material in regards to colour, durability and suitability for use in its intended environment.

In all cases, the customer is responsible for the fire retardant properties of the material supplied.

It should be noted that, whilst every effort will be made for this not to be the case, the provision of COM on any order may lengthen the lead-time of an order beyond our normal standards. This lengthening will be exacerbated by any delays in the provision of samples as outlined above.